# Dr. M. L. DHAWALE MEMORIAL HOMOEOPATHIC INSTITUTE



Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019 (Recognized by the Central council of Homocopathy, New Delhi and Maharashtra University of Health Sciences, Nashik)

# Dr. M. L. Dhawale Memorial Homoeopathic Institute, Palghar Research Incubation Centre

MLDMHI has stated in its mission that the institute wants to create health care providers who can deliver holistic care in all corners of the country. Effective delivery of holistic care is based on the scientific principles. Therefore, institute has given for evidence-based medicine. The focus of training for research has also been valuing evidences for all the actions.

MLDMHI has established a separate Department of Research to promote the research which naturally based on evidence. As a part of promoting research, institute has created a number of special homoeopathic OPDs like Hypertension, Pulmonology, Endocrine, Psychiatry, dermatology, Pediatrics etc. In these special OPDs the student get the understands the types of evidences and its importance. Some students take up either pilot study or researchproject for their dissertations. Teachers from these OPDs along with the Research department guide the students in their research work. The research training is also done in field, where students are posted in the rural OPDs for 3 months. There the students has opportunity to conduct community based survey.

Research department also conducts interdepartmental scientific meetings for deciding the areas in which the students, faculty or the departments would take up the project. It provides a open platform for discussing innovative ideas and then the decisions are taken on the basic of FINER criteria.

Research department conducts in-house special training for interested Part 2 PG residents to train them as "Junior Research Fellows". During these 9 months training they take up small research project under joint guidance of subject expert and the research department.

Institute has subscribed prominent research journals and has separate library which students can access. For the statistical analysis Research department has SPSS24 software.

2022-

Sr.	Name of the	Title of the study	Recommendations
no.	student Dr. Ashwini Kasat	APPLICATION OF	Utility of Kent's Repertory in
*		MIND SECTION OF KENT'S REPERTORY IN CASES OF PRIMARY INFERTILITY: PROSPECTIVE SERIES	cases of infertility with psychosocial impact.
2.	Dr. BhaviniChaug ule	DERIVING THE RUBRICS CORRELATING BODY AND MIND IN CASE OF VITILIGO USING COMPLETE REPERTORY: PROSPECTIVE CASE SERIES	<ul> <li>Utility of Natrum group in cases of vitiligo.</li> <li>Anxiety in vitiligo patients and its utility in Homoeopathic management</li> </ul>
3.	Dr. TanmayeePa waskar	COMPARING PORTRAIT OF CARCINOSINUM MIND THROUGH COMPLETE REPERTORY AND CLINICAL CASES: PROSPECTIVE CASE SERIES	<ul> <li>Study of physical expressions of Carcinosinum in the similar manner as this study has conducted</li> <li>Study of other lesser proved remedies like vanilla, etc. in the similar manner as this study has conducted.</li> </ul>
4.	Aisha Momin	Homoeopathic management of Perceived Stress among the spouses of Chronic Alcoholics: Uncontrolled Experimental Study	1) Studying the psychosomatic and psychodynamics of stresses of spouses of Chronic Alcoholics. 2) Studying the Bio-psycho-social model influencing the stresses of spouses of Chronic Alcoholics. 3) Defining Knowledge, Skills and Attitude for Case taking in spouses with Alcoholic Partners. 4) Exploring Remedial profile for managing stresses of Spouses of Chronic Alcoholics. 5) Exploring different defense mechanism of Spouses of Chronic Alcoholics. 6) Management of Perceived Stress among the Spouses of Chronic

PRINCIPAL Palghar Dist. Thang

	Alcoholics in Urban setup. 7) Role of Couple counseling in managing the Stresses due to
5 C T : 11 T	Alcoholism.
5. Gneya Trivedi  Exploring the of Maslow's u Pyramid of new Therapeutic prodefinition and Therapeutics presolution: Pro Case Series	application pdated updated pyramid to provide non-remedial resolutions to the patients. Further study can be done on remedial measures. Studying which remedies are prominent in which layers of the pyramid.  2. This study took the understanding of the 7 layers from the latest article by Kendrick et all. Further studies can be done on expanding the understanding of these layers.  3. Motivational difficulties were identified but not explored in detail in this study. The exploration of these difficulties can be a whole new study in itself and can be correlated to therapeutic problem resolution.
	4. A study of the varied expressions of
	miasms found on each layer of the
6. MahwashKam Assessing the dar comparative eff	pyramid.  1 Utility of mineral group in learning
- Simpurative off	and the state of t
LM and CM po Learning Disab	1
Prospective Col	r aj branctions.
Trospective Col	anort Study 3 Assessing the effects of calcarean group in cases of learning disability.
	4 Assessing the comparative effects of
	homoeopathic medicines with
× .	remediation in LD, a cohort study.
	5 Understanding the repetitions
2	required for CM potency in cases of
7. Vandana Identifying vuln	erable The study is helpful in the
Vijayan factors using str	
diathesis model	in cases disorders; connecting the impact of
of mood disorde	ers: Cross   stress on diathesis itself gives
sectional Survey	knowledge about susceptibility. From
	that the
	DOIGNOY and wangetite and F
	potency and repetition of case, the
	planning and programming of the case is possible.

# e e

Dr. M. L. DHAWALE MEMORIAL HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel: 02525-256932/33 • Fax: 02525-257019 (Recognized by the Central council of Homoeopathy, New Delhi and Maharashtra University of Health Sciences, Nashik)

1. Large group selection can be done to see the whole wide variations in the expressions and connections between stress and diathesis 2. Various homoeopathic medicines can be studied on the ground of stress diathesis model of them based on the findings 3. Concept homoeopathic causation can be studied in the same line. 8 Dr Dhwani Value of mental Importance of coping mechanisms Geosta expressions in formation used by the LD children to cope of prescribing totality in up with their disability and there cases of learning implication in homoeopathic disability:retrolective management case series Importance of BPS model in children suffering from LD and it's importance in homoeopathic management Utility of mineral group remedies in the treatment of learning disability Dr shreva Role of homoeopathic Evolving therapeutics for cases of ranch medicine in management dysmenorrhoea can be studied. of dysmenorrhoea using Dysmenorrhoea and its impact on walidd score in quality of life can be studied. adolescent age group: Understanding the role of miasm experimental self-control in cases of dysmenorrhoea can be study. studied. Understanding the role of susceptibility and posology in handling various cases of dysmenorrhoea can be studied. Dr Priya Association between Exploring the role of LM potency Shetke susceptibility and in cases of chronic tonsillitis posology in management Detailed study on miasm and its of chronic tonsillitis impact on clinical presentation of cohort study. chronic tonsillitis. Studying remedy relationship between acute and chronic remedy in cases of chronic tonsillitis. 11 Dr Diksha Association between To retrospectively study the cases Aswani susceptibility and of acute gastroenteritis where posology in the lower potencies were prescribed management of acute Role of LM potency in





	gastroenteritis in paediatrics age group-cohort study	management of Acute gastroenteritis in Pediatric age group
--	---	--





2021

Sr.	Name of the	Title of the study	D
no.	student	Title of the study	Recommendations
1	Dr. Rupam Dwivedi	COMPILING THE RUBRICS REPRESENTING THE PATHOGENESIS OF DERMATOLOGICAL INFLAMMATORY DISEASES FROM BOGER BOENNINGHAUSEN'S CHARACTERISTICS REPERTORY (BBCR) THROUGH CLINICAL CASES - AN OBSERVATIONAL RETROSPECTIVE CASE SERIES STUDY	<ul> <li>Compiling the rubrics of variou other chapters of BBCR and update the rubrics and remedies under each rubric.</li> <li>A comparative study between Therapeutic pocket book and BBCR of each chapter.</li> <li>A comparative study between Antipsoric repertory and BBCR in various cases to study the relation between the repertory and utility of Antipsoric repertory in modern world.</li> </ul>
2.	Dr. Shraddha Joshi	APPLICATION OF ELIMINATING SYMPTOMS IN CREATION OF REPERTORIAL TOTALITY IN CHRONIC DISEASES: AN EXPERIMENTAL UNCONTROLLED STUDY	<ul> <li>Application of eliminating symptoms in acute diseases.</li> <li>Utility of physical general symptoms as an eliminating symptom in clinical practice.</li> <li>Utility of qualified mental symptoms as an eliminating symptom in the management of chronic diseases.</li> </ul>
3.	Dr. Manpreet Kaur	DESCRIPTIVE CASE SERIES STUDY FOR UNDERSTANDING THE SKILLS, ATTITUDE AND KNOWLEDGE REQUIRED IN CASE TAKING IN CASES OF POLYCYSTIC OVARIAN SYNDROME	Evaluating the efficiency of physician during the process of case taking – An experimental Study.
	Snehalsarvag od	IDENTIFYING COMMON AND CHARACTERISTIC EXPRESSIONS OF ANXIETY DISORDERS IN ADOLESCENTS: A MIXED DESIGN METHOD	•In the study, the expressions at behavior level are not commonly seen in patients but their presence in some of the cases made it characteristic expressions and helped in individualization of cases, so tracing of this expressions should be focused on. •In this study, from around 20 shades of anxiety, only 12 were



				identified, the identification of shades of anxiety helps in making the diagnosis of type of anxiety disorder and focus should be given on identifying the other shades of anxiety as well.  •In the current study, the rubric representation of the expressions was identified from the repertories, but other than these 7 repertories, searching in other repertories is necessary.  •The main focus should be given on tracing the expressions of anxiety by listing down the patient expressions in his language and converting it into reportorial language for getting the correct rubric representations.
	5.	Muhammad Ubharay	FORMULATING THERAPEUTIC RESOLUTION IN ANXIETY DISORDERS BY USING BIO-PSYCHO- SOCIAL MODEL: UNCONTROLLED EXPERIMENTAL STUDY	1) Study with larger sample size in a more heterogeneous group will generalize the findings and in a more homogenized group will lead to a specific finding. 2) Study of TPR and homoeopathic medicine together and separately. 3) BPS model in other psychiatric illnesses 4) Control group will give a better understanding of the treatment so; need to add such group in this study
	6.	Priyanka kewalramani	EXPLORING THE TYPES OF INTERPERSONAL CONFLICTS AND THE EMERGING REMEDIES: A PROSPECTIVE CASE SERIES STUDY	1. As this study shows interpersonal conflicts predominant in married population, a
L			10000	



7. Ankita Telwane	HOMOEOPATHIC MANAGEMENT OF BEHAVIORAL DISORDERS AMONGST CHILDREN HAVING SCHOLASTIC DIFFICULTIES: UNCONTROLLED EXPERIMENTAL STUDY	1. Comparative study of externalizing and internalizing behavioral disorders in children and its management.  2. Exploring role of parenting styles in children with behavioral disorders and their coping mechanisms.  3. Comparative study of utility of various potencies in behavioral disorders in children with scholastic difficulties  4. To study the influence of miasm (fundamental and dominant) on the evolution and expression of various behavioral disorders in children.  5. Understanding the role of susceptibility and sensitivity in the management of childhood behavioral disorders with scholastic difficulties.  6. Utility of mineral group remedies in behavioral disorders in children.  7. Utility of Nosodes in behavioral disorders in children.
8. Dr. Dhanashreeja yantbhalerao	"Arriving to group of remedies for expressions of anxiety in school going children"	<ul> <li>A similar study with a larger sample size can be taken up to come to a definite group of remedies for expressions for each category of Anxiety.</li> <li>A detailed study of Carcinosin using the BPS model to understand the genesis of Anxiety can be done. Similar study with other remedies can be done.</li> <li>A study to build a picture of genesis and presentation of Anxiety at different age groups in different Remedies by taking cases of the same remedy belonging to different age groups can be done.</li> </ul>
9. Dr. Aditya nareshgarg	"Assessing the action of indicated homoeopathic medicines on quality of life	The role of nutrition on childhood asthma can be



10	Dr. Ashwini parshuramku the	" deriving the miasmatic understanding through clinical presentations of scabies: a prospective case series study"	•	studied.  Exploring the impact of childhood asthma on academic performances of school going children.  Impact of bronchial asthma in children on their care givers or parents can be studied.  Inter-personal relationships of asthmatic children in their family can be studied  Role of Anti miasmatic remedy in cases of scabies in Pediatrics age group.  To study the group of remedies in the clinical expression of the scabies.  Assessing the quality of life of scabies in Pediatrics age group.  A study of use of various potencies in cases of scabies in Pediatrics age group.
11	Dr. Aqsa	"efficacy of indicated	•	Understanding the role of miasm
	khalilahmedj uwale	homoeopathic remedy in the management of iron deficiency anaemia among young adolescence girls: a randomized control study."	•	in the management of IDA.  Efficacy of Calcarea group in the management of IDA.



### 2020

Sr.	Name of the	Title of the study	Recommendations
no.	student	state of the state	Recommendations
1.	Dr. R. K. Chaurasiya	UNDERSTANDING THE KALI CARB MIND THROUGH KENT'S REPERTORY & CLINICAL CASES	<ul> <li>Study of Mind chapter of Kent's repertory for other remedies can help in improving the presentation of mental rubric of those remedies.</li> <li>Study of Kali Carb rubric of Mind chapter of different repertories can be conducted by future students.</li> <li>A Study comparing the mental rubrics of Kali carb from in 2 or more than 2 repertories keeping a variable of age will be an interesting study.</li> <li>The Sphere of action as represented in the rubrics in other chapters too can be studied of Kali carb using Kent's repertory.</li> </ul>
2.	Dr. RutujaNinawe	EVOLVING THE PORTRAIT OF KALI CARB THROUGH BOERICKE REPERTORY & CLINICAL CASES	<ul> <li>Creation of portrait of any other polycrest remedy will help us enhance the repertory section of the Boericke's repertory.</li> <li>The portrait of Kali Carb may be similarly created using the BBCR Repertory and clinical cases.</li> <li>A study can be done on influence of TPB on evolution of Clinical and regional repertories.</li> </ul>
3.	Bhratraj	EVOLVING HOMOEOPATHIC THERAPEUTICS OF ALCOHOL WITHDRAWAL USING MENTAL EXPRESSIONS: A DESCRIPTIVE CASE SERIES STUDY	•Cohort study can be taken to understand the efficient of Homoeopathic medicine in the effective deaddiction of alcoholics. •Integrated study should be taken to understand efficiency of drugs from different system of medicine vs homoeopathic medicine. •Study should be taken to understand the posology and repetition of remedies in withdrawal. •Study should be taken in understanding the role of constitutional medicine in managing the withdrawal.



5.	Karishma chabda  Tanvir shaikh	SPECIFICITY OF SUICIDAL IDEATION AS AN INDICATOR TO ARRIVE AT SIMILLIMUM IN DEPRESSIVE DISORDERS: A DESCRIPTIVE CASE SERIES STUDY  STUDYING RELATIVE IMPORTANCE OF THE COMPONENTS OF BIO-PSYCHO-SOCIAL MODEL (BPS) IN EVOLVING THE THERAPEUTIC PROBLEM DEFINITION (TPD) IN GERIATRIC DEPRESSION: A DESCRIPTIVE CASE SERIES STUDY	Study on Psychodynamics of suicidal tendencies and its role in homeopathy can be taken up in future study.  • Study should be taken up on the efficacy of Natrum group of remedies in management of suicidal behavior should be undertaken because in my study maximum remedies were from Natrum group were prescribed.  • Study on susceptibility and miasm in individuals suffering from suicidal ideation should be undertaken.  • Study on Suicidal ideation, suicidal planning and suicidal attempt in an individual should be undertaken.  • Study on Prevention of suicidal attempts in mental disorders like personality disorder, mood disorders, schizophrenic and role of Homoeopathy in it should be undertaken  1 A geriatric patient has lived a long life; hence an in-depth exploration of the life space from childhood to old age should be undertaken i.e. from being a child to being a parent, work area and the journey to the second childhood (old age).  2 Study should be taken up on the efficacy of Homoeopathic medicine in geriatric depression with assessment of follow-up.  3 Study on susceptibility and miasm of geriatric depression should be undertaken.
		EVOLVING THE THERAPEUTIC PROBLEM DEFINITION (TPD) IN GERIATRIC DEPRESSION: A DESCRIPTIVE CASE	work area and the journey to the second childhood (old age).  2 Study should be taken up on the efficacy of Homoeopathic medicine in geriatric depression with assessment of follow-up.  3 Study on susceptibility and miasm of geriatric depression should be undertaken.  4 Study on mood disorders of geriatric individuals living in an old-
6	. Dr Manasi Shinde	Evolving therapeutics of Moderate acute	age home should be undertaken as old-age home is one of the social factor identified in this study.  5 Study on other geriatric mental disorders like dementia and role of Homoeopathy in the same should be undertaken.  • Comparative study of micronutrient deficiencies vs protein

		1 4 14	3
		malnutrition With the help of their characteristic Expressions: a descriptive case series study	<ul> <li>energy malnutrition with case series.</li> <li>Evolution of Calcarea group in malnutrition.</li> <li>Evolution of Natrum group in malnutrition.</li> </ul>
7.	Kharatesneha	"Scope of fixed general totality in treatment of viral fever in children": a descriptive case series study	<ul> <li>Scope of fixed general totality can study by using other acute disease conditions also.</li> <li>If we did further study in depth it will be useful to understand the role different strategies</li> </ul>
8.	Mordia Rashi	Evolving therapeutics of acute exacerbation of bronchial asthma in paediatric Age group— a descriptive case series study	<ul> <li>A short pocket repertory can be made using the rubrics of the symptoms observed in children during acute exacerbation.</li> <li>Miasmatic study can be done using the symptoms of acute exacerbation in paediatric age group.</li> <li>Other group of remedies (apart from kali ,arsenicum&amp; pulsatilla) can be studied further more to know about the acute exacerbation &amp; evolve the therapeutics.</li> </ul>
9.	PriyaWagh	Evolving the homoeopathic management strategy for slow learners.	<ul> <li>To study the posology in management of slow learners</li> <li>To study the causative factors in cases of slow learner with the help of Bio psychosocial model in Calcarea group.</li> </ul>
10.	PriyankaWani	Evolving homoeopathic therapeutics using characteristic expressions of slow learners: a descriptive case series study."	<ul> <li>Evolution and expressions of calcarea group in slow learners.</li> <li>Evolution and expressions of natrum group in slow learners.</li> <li>Studying the efficacy of homoeopathy in management of slow learners.</li> </ul>





### 2019

Sr.	Name of the student	Title of the study	Recommendations
no. 1.	Dr. Albert N.	COMPARE AND CONTRAST RUBRICS OF PHYSICAL SENSITIVITY IN PULSATILLA AND STAPHYSAGRIA THROUGH CLINICAL CASES AND COMPLETE REPERTORY	<ul> <li>Verification of the symptoms representing Physical Sensitivity from the materia medica source book and rubrics in Compete Repertory</li> <li>Comparing sensitivity at mind level and physical level of these remedies using Complete Repertory</li> </ul>
2.	Dr. Ashutosh Lohiya	SCOPE OF COMPLETE REPERTORY IN MANAGEMENT OF ACUTE EXACERBATIONS OF CHRONIC OBSTRUCTIVE PULMONARY DISESASE	<ul> <li>To study the various skills and techniques of case taking applied in management of AECOPD.</li> <li>To explore the role of other clinical/ regional repertories in management of AECOPD</li> <li>To explore the representation of Arsenic and Kali group of remedies for management of AECOPD in Complete Repertory.</li> </ul>
3.	Dr. VanshLuniya	DERIVING THE RUBRICS CORRELATING MIND AND BODY IN PSORIASIS USING SYNTHESIS 9.1	<ul> <li>Studying Anger and its various shades in development of Psoriasis Vulgaris using Synthesis 9.1.</li> <li>Evolving portrait of Natrum group using Synthesis 9.1.</li> <li>Deriving Rubrics of various clinical presentations of Psoriasis from of Synthesis 9.1.</li> <li>Deriving Rubrics of Psoriasis from Skin chapter of Synthesis 9.1.</li> </ul>
4.	Chandrabhansharma	STUDYING THE MENTAL STATE OF PATIENTS WITH EPILEPSY AND THEIR EMERGING	Study can be done with specific age group criteria so that we can understand at which group more stress which leads to epilepsy has.



		DEL GEDY, DE COMO	
		REMEDY PROFILES	<ol> <li>Defense mechanisms and coping mechanism of an epileptic person can be studied in Homoeopathic management of epilepsy.</li> <li>We can study single remedy used in epilepsy.</li> <li>We can formulate a repertory of epilepsy based on intensity of symptoms.</li> <li>Different homoeopathic management strategies can be evolved while treating cases of epilepsy.</li> <li>Miasmatic correlation can be</li> </ol>
5.	Saloni Mehta	EFFECT OF SCHOLASTIC DIFFICULTIES ON PSYCHE OF SCHOOL GOING CHILDREN AND IT'SAPPLICATION IN TOTALITY FORMATION	studies.  1 The mixed type of coping that has highest males as compared to females and being highest in early adolescent age group requires further study for confirmation.  2. Case receiving/documentation requires more attention from the perspective of effect on psyche of scholastic difficult students in
6.	Sonaljagtap	EXPLORING HOMOEOPATHIC APPROACHES TO FORMULATE TOTALITY IN CHILDREN WITH SCHOLASTIC DIFFICULTIES HAVING ADHD	their early adolescent age group.  1 Exploring the co-relation between allergic complaints in children having ADHD  2. Difference between the scholastic difficulties in urban & rural set-up in children having ADHD  3. Ways of learning adaptive coping mechanism in children with ADHD  4. Comparative study between cases where phasic & constitutional remedies are prescribed for children with scholastic difficulties having ADHD to test the significance
7.	Vivek vasoya	EXPLORING COMPETENCIES OF HOMOEOPATHIC PHYSICIAN TO ESTABLISH DOCTOR	1. Comparative study can be conducted on compliance of alcoholic patient from rural, semi-urban and urban population by competent physician.



		DA TOTE VIEW	2. Comparative study can be
		- PATIENT	conducted on compliance of
		RELATIONSHIP IN	alcoholic patient with different
		CHRONIC	
		ALCOHOLICS	age group by competent
	Pi Pi	USEFUL FOR	physician.
		PATIENTS'	3. Study can be conducted to test
1	Ř	COMPLIANCE	the efficacy of various model of
.00			treatment of alcoholism like,
			spiritual, group therapy etc.
8.	Deepali phadtare	EVOLVING THE	1. Case taking is the most
0.	Deepan phadaire	HOMOEOPATHIC	important and crucial task of
		THERAPEUTIC	physician, which enables
		PROBLEM	him/her to understand the
		DEFINITION AND	evolution of disorder and patient
		RESOLUTION USING	as a person. Hence case
		BIO- PSYCHO-	taking should be done precisely
		SOCIAL MODEL IN	and effectively.
		MOOD DISORDERS	2. Study of any disorder with help
		MOOD DISORDERS	of BPS Model would enrich
		2	treatment plan and
			recovery.
			3. Family history and social
			background is of great
			importance and lacking of such
			data
			disables physician to understand
			the genesis of illness, hence
			should be carefully
			elicited.
			4. Social factors play a great role
			in maintaining mental health, thus
			educating family
	5 /5	i	and friends would create
			awareness in the population. This
			will increase awareness in
			patient to seek treatment and
			reduce the further progress of
1			mood disorders and its
			complications.
9	Dr. Devyani	Exploring the clinical	• Study the effect of
	Deshmukh	expressions of moderate	
1	Desimidan	acute malnutrition & its	
	*	correlation with miasm.	
		Continuon with masin.	collecting the data and
			prescription in cases of
	1	T.	prosonption
	¥.	1	malnourishment
			malnourishment.
			<ul> <li>malnourishment.</li> <li>3.different rubrics related to malnutrition from various</li> </ul>

			repertories.
			4.study the b-p-s model of
			malnutrition.
10	Dr. Aparna Nair	Studying mental expressions in cerebral palsy and it's application in evolving remedy profiles.	<ul> <li>Similar study should be carried out in age group of 6-18 so as to verify the secondary emotions like anxiety and depression which was seen in the literature. This will also help in the better assessment of intellect and reactions which was very poorly assessed in this study.</li> <li>Study of mental state of CP in a single remedy from the group of remedies that were found after repertorization of mental state should be carried out to evolve a in depth understanding of the remedy profile</li> <li>Fear which was very much evident in all cases of Cerebral Palsy given CalcareaPhos was barely found in source books, this fears can be verified by further study on this remedy in other clinical expressions as well.</li> </ul>
11	Dr. Natasha Dewani	Studying susceptibility through clinical expressions in moderate acute malnutrition and its application in posology	<ul> <li>Study the role of proper nutrition as well as homoeopathic medicine during first 1000 days.</li> <li>Study the prevention of MAM to SAM</li> </ul>
			Study of remedies mostly used and which bring about change in case of MAM.
		i s	Efficacy of remedies like – Calcareaphosphorica, Calcareacarbonica, Silicea, Natrum mur in management
			Tradian mai m management



		of malnutrition.
		• Study the role of intercurrent in the cases of malnutrition.
		Effect of anaemia during pregnancy and malnutrition.
		<ul> <li>Comparative study of constitutional group and antimasmatic group.</li> </ul>
		Study the effect of homoeopathic remedies in cases of SAM.
12 Dr. Shubham goel	Importance of observation in formulating totality in cases of viral fever in paediatric age group	<ul> <li>To study the mineral group and plant group in detail with the primary focus on observations to understand the totality and remedy correlation in cases of viral fever in paediatric age group.</li> </ul>
		• To study the reason of behavioral changes in fever, as in literature it has been given that the two neurotransmitters- adrenaline and non adrenaline, plays a major role in thermal regulation, behavioral changes but no study has been done why behavioral changes takes place during fever, for that further study will be needed.
13 Dr. Amina asnar	Evolving parameters for determining posology in management of learning disability.	<ul> <li>Utility of mineral group in learning disability</li> <li>Importance of coping mechanisms used by the ld children to cope up with there disability and there</li> </ul>
		implication in homoeopathic management.





## 2018


Sr.	Name of	Title of the study	Recommendations
no.	the student		recommendations
1.	Dr. Akshay Thole	STUDY OF VARIOUS SKILLS AND TECHNIQUES OF CASE TAKING IN ARRIVING AT A PRESCRIBING TOTALITY IN CHILDREN WITH ACUTE RESPIRATORY DISTRESS	<ul> <li>Understanding bogers approach in cases of acute respiratory distress in neonates.</li> <li>Exploring the role of antim tart in management of acute respiratory distress in paediatric age group.</li> <li>Study the importance of skills and techniques in acute respiratory distress.</li> <li>Study of role of clinical repertories and clinical rubrics in acute respiratory distress.</li> </ul>
2.	Dr. Bhushan Adgaonkar	"UNDERSTANDING BOGER'S APPROACH OF REPERTORIAL TOTALITY IN TREATED CASES OF ACUTE EXACERBATION OF CHRONIC OBSTRUCTIVE PULMONARY DISEASE	<ul> <li>Understanding bogers approach in cases of acute exacerbation of copd</li> <li>Exploring the role of kali group of remedies in management of acute exacerbation of copd</li> </ul>
3.	Bhumika pirwani	HOMOEOPATHIC MANAGEMENT ON NEUROPSYCHOLOGICAL CHANGES OF CHILDREN WITH CEREBRAL PALSY	In order to understand Cerebral Palsy and socialization issues, certain parameters should be set up considering the age/ age group to assess the delay in development in social domain.  A standardized case record needs to be evolved for Cerebral Palsy children which would record cognitive, motor, emotional, behavioural and social domain more efficiently.  Help of physiotherapist, speech therapist and psychologist might be sought to evaluate the developmental lag at various domains at regular intervals.  Certain scales might be evolved so as to assess the emotional and behavioural status in Cerebral Palsy children of



			younger age group.
4.	Jitesh Thakur	FORMULATING THE TOTALITY USING BIO – PSYCHO – SOCIAL (BPS) MODEL IN SCHIZOPHERNIA	<ol> <li>Further study can be taken so as to understand why psychological factors have more weightage in development of schizophrenia.</li> <li>The study on whether socioeconomic strata of patients suffering from schizophrenia is responsible for its genesis.</li> <li>Specific remedial presentation in schizophrenia can be studied further.</li> </ol>
5.	Samiksha murkute	FORMULATING THE TOTALITY USING BIO- PSYCHO-SOCIAL (BPS)MODEL IN CHRONIC ALCOHOLISM	1) As per the study, it was observed that strained IPR in the family, with the wife, Girlfriend are important maintaining/Exciting social factors so the IPR should be explore in the case taking.  2) Checklist can be converted into questionnaire so that inquiry will be on detail in alcoholic patient to understand the BPS model of Alcoholism.  3) Further Study can be taken as role of Homeopathic medicine in alcoholism.
6.	Sonalmistry	PSYCHODYNAMICS OF ALCOHOLISM AND IT'S UTILITY IN THERAPEUTIC RESOLUTION	<ul> <li>Freud theory has significant role in understanding psychodynamics, but and impact of alcoholism on person.</li> <li>Study should be taken up in understanding alcohol affects which part of domain cognitive or behavioral along with correlation of remedial understanding.</li> <li>Integrated study should be taken up to understand genesis of alcoholism with personality and attributes and role of homeopathic therapeutics.</li> <li>Study of posology should be taken up to understand remedy response in such cases having high sensitivity.</li> <li>Study on role of various defense mechanisms with stressful environment.</li> <li>Study on miasmatic role and</li> </ul>



7. Veena parihar EFFECT OF HOMOEOPATHIC INTERVENTION IN CHILDREN WITH GLOBAL DEVELOPMENTAL DELAY	fundamental miasm in maintaining alcoholism with genetic load.  Study on correlating remedial and non-remedial aspects with its assessment with follow up can be taken up as study.  Correlating susceptibility and miasmatic understanding in alcoholic patients should be taken as study.  Understanding the personality type prone to develop study can be an interesting study.  Indications of Calcarea group in GDD.  Role of calc.Phos 6x along with CR IN GDD to improve overall nutritional state of child.  Role of intercurrent to enhance / complement the action of remedy in the management of GDD.  Supportive therapy by physiotherapist, speech therapist and psychologist might be sought to evaluate the developmental lag at various domains at regular intervals.  A standardized case record needs to be evolved for global developmental delay children which would record cognitive, motor, emotional, behavioural and social domain more efficiently.  Role of Homoeopathic intervention at cognitive level has to be explored.
8. Dr. Vandana sawant  Correlation of susceptibility with posology in the homoeopathic management of acute respiratory distress in paediatric age group.	<ul> <li>Exploring the role of intercurrent remedy in management of acute respiratory distress in paediatric age group.</li> <li>Study of role of tubercular miasm in development of acute respiratory distress in paediatric age group.</li> </ul>
	<ul> <li>Exploring the role of antim tart in management of acute</li> </ul>



				respiratory distress in paediatric age group.
9.	Dr. Sushil jain	Exploring the role of homoeopathy in the management of acute lower urinary tract infection in paediatric age group	•	Role of homoeopathic medicine in acute pyelonephritis in paediatric age group
10.	Dr. Nagle Swapnaja Vikas	Psychosocial factors in nocturnal enuresis and their use in homoeopathic management	0	Utility of calcarea group remedies in nocturnal enuresis.  Assessing susceptibility of middle childhood and early adolescent age group in nocturnal enuresis.
			•	Understanding miasmatic evolution in primary and secondary nocturnal enuresis.