



DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE


Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN
M.D. (Hom.), MBA (Ed. Mgt.)

B. Jain

Part II – Hospital Details
UPLOAD Availability of area in sq.mt as per Bed Strength (UG/PG) & MSR

Sr. No.	Hospital Details Infrastructure		Details on College Website	Remark
1	Name of Hospital	Dr. M.L. Dhawale Memorial Trust Hospital		
2	Registration details with Renewal	Registration on 1/9/2020 valid up 31/3/2023 (Annexure – 6)	Yes	
3	Bed Strength – ward distribution – As per MSR and Intake capacity	Medicine – 18 (50%) Paediatrics – 4 (10%) Surgery – 7 (20%) Obstetrics & Gynecology – 7(20%)	Yes	
4	Hospital Infrastructure as per Schedule (IA) <u>Administration block</u> a) Superintendent Room b) Rooms for Senior Medical Officer c) Staff Nurse d) Reception & registration	Total 110 Sq. mtr 6 sq. mtr 7 sq. mtr. 7 sq. mtr 90 sq. mtr	Yes	
	OPD/IPD details (Refer Annexure – III)	Annexure - III	Yes	
	<u>Operation Theater unit</u> Operation Theater Preparation Room Post-operative recovery room Space for Sterilized Linen Labor Room Rooms for Surgeon/ Obstetrician/Assistants	Total 210 Sq mtr 90 sq. mtr 35 sq. mtr. 35 sq. mtr 5 sq. mtr 25 sq. mtr 10 sq. mtr.	Yes	
	Yoga/Physiotherapy rehabilitation Unit	47 sq.mtr	Yes	
	<u>Central Clinical Laboratory</u> Pathology & Microbiology Bio- Chemistry	Total 38 sq. mtr 26 sq. mtr 12 sq. mtr.	Yes	
	<u>Radiology and Sonography Section</u> X-ray room Dark Room Provisions for storing films and chemicals USG	Total 46 Sq.mtr 25 sq. mtr. 6 sq. mtr. 5 sq. mtr. 10 Sq. mtr	Yes	
	Hospital Kitchen	80 sq. mtr.	Yes	
	Stores	50 sq. mtr.	Yes	





DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL

DR. BIPIN S. JAIN

M.D. (Hom.), MBA (Ed. Mgt.)

5	Ambulance Facility (Own/MOU)	Own	Yes	
6	Dispensing Unit	Well Furnished Separate Dispensaries for Out Door Departments with sufficient stock of drugs	Yes	
7	Hospital Equipment as per MSR – OPD/IPD upload details	(Annexure – 7)		
8	MOU with super specialty Hospital for clinical training of student and its functional upload the details	(Annexure – 8)		
9	First Aid kit in OPD/IPD	Available in each OPD and IPD		
10	BMW certificate	(Annexure – 9)		
11	MPCB Certificate	(Annexure – 10)		





DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN

M.D. (Hom.), MBA (Ed. Mgt.)

Annexure - 6

महाराष्ट्र शासन		
सार्वजनिक आरोग्य विभाग		
जिल्हा शल्य चिकित्सक		
जिल्हा रुग्णालय, पालघर, जि. पालघर.		
प्रपत्र - सी		
(नियम ५ अन्वये)		
बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र		
प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होमस रजिस्ट्रेशन अॅक्ट १९४२ अन्वये		
डॉ. श्री. / श्रीमती <u>एम. एल. टवळे मेमोरियल हॉस्पिटल</u> यांचे.		
<u>डॉ. एम. एल. टवळे मेमोरियल हॉस्पिटल, पालघर</u> येथील नर्सिंग होम/मॅटर्निटी		
होम रजिस्टर केले असून सदरचे नर्सिंग होम व मॅटर्निटी होम चालविण्यास परवानगी देण्यात येत आहे.		
नोंदणी क्र. - २८५/३८/२०१७	प्रसुतीच्या रुग्णांकरिता :- १५	
	ठेवलेल्या खाटांची संख्या	
नोंदणी दिनांक - ०१/०९/२०२०	इतर रुग्णांकरिता वापरात :- ८५	
	असलेल्या खाटांची संख्या	
सर्टिफिकेट दिल्याचा दिनांक :- ११/०९/२०२०		
सदरचे प्रमाणपत्र दिनांक :- ११/०९/२०२० To ३१/०३/२०२३ पर्यंत कार्यवाहीत राहील.		
ताल्लुका फायर नोटिफिकेशन अधीन असून आपत्तकालीन परवाना नुतनिकरणी देण्यात येत असून लवकरात लवकर फायर नोटिफिकेशन घ्यावी. अन्यथा परवाना रद्द करणार येईल.		
नोंदणी अधिकारी जिल्हा शल्य चिकित्सक, जिल्हा रुग्णालय, पालघर.		
नुतनीकरण दिनांक	नुतनीकरण कालावधी	जि. श. चि. स्वाक्षरी
	पासून पर्यंत	
०१/०९/२०२०	०१/०९/२०२० ३१/०३/२०२३	

- हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी भागात दिसेल अशा ठिकाणी लावणे गरजेचे आहे.
- आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधीत उपजिल्हा/ग्रामीण रुग्णालयास कळविणे गरजेचे आहे.
- जन्म मृत्यु नोंद संबंधीत नगरपालिकेस वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- कुटुंब कल्याण (पु/स्त्री) शास्त्रक्रियाची आकडेवारी संबंधीत उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग मिडवाईफ्स अँड हेल्थ विज्जीटर्स अॅक्ट १९५४ नुसार प्रशिक्षित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- बायोमेट्रीकल वेस्ट नियम १९९८ क्र. ३२ व ४१/२००६ चे पालन करणे बंधनकारक आहे.



**Dr. M. L. DHAWALE MEMORIAL TRUST
HOSPITAL, PALGHAR (CHARITABLE)**

Palghar Boisar Road, Palghar 401 404.
Tel. : (02525) 256932, 256933, 7720016357/58



Ref. No. DTH /45/2023

Date : 06/02/2023

To
Civil Surgeon,
Palghar.

Sub: Renewal of Nursing Home Registration.

Respected Madam,

We are submitting our application of renewal of Nursing Home Registration of Dr. M. L. Dhawale Rural Homeopathic Hospital, Palghar.

Our Registration No. is PLG/38/2017 and it is valid up to 31/03/2023. We want to renew our registration for Five years.

Kindly issue our renewed Nursing Home Registration certificate.

Thanking You

Cc :- 1) Adv. Seema Sathe , Palghar

Yours Sincerely

Dr. Anand Kapse
Director
DTH, Palghar



Dr. M. L. DHAWALE MEMORIAL TRUST
HOSPITAL, PALGHAR (CHARITABLE)
Palghar - Boisar Road,
Palghar - 401 404



DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN
M.D. (Hom.), MBA (Ed. Mgt.)

ANNEXURE – III A (1)

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK
Homoeopathy Faculty

Year : 2022-23

Name of College : Dr. M. L. Dhawale Memorial Homoeopathic Institute, College code – 4108

OPD Department

a)	Name of OPD	Available	Not Available	Remarks
	Medicine	Yes		
	Paediatrics	Yes		
	OBGY	Yes		
	Any Other Speciality	Yes		
b)	Dressing Room	Yes		
	Dispensary	Yes		
	Store	Yes		





DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN
M.D. (Hom.), MBA (Ed. Mgt.)

ANNEXURE – III A (2)

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK
Homoeopathy Faculty

Year 2022-23

Name of College: Dr. M. L. Dhawale Memorial Homoeopathic Institute, College code – 4108

Indoor Patient Department:

Sr. No.	Department	Bed Required PG	Total Beds Available	Nursing Station/Duty Room Y/N	Doctor Room Y/N	Store Room Y/N	Remarks
1	Gen. Medicine	18	18	Yes	Yes	Yes	
2	Paediatrics	4	4	Yes	Yes	Yes	
3	Surgery	7	7	Yes	Yes	Yes	
4	OBGY	7	7	Yes	Yes	Yes	
	Total	36	36				

Signature of Principal with Seal





DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN
M.D. (Hom.), MBA (Ed. Mgt.)

ANNEXURE – III B (1)

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

DETAILS OF THE HOSPITAL AND WORK RECORD : (HOSPITAL – INFORMATION)

Year : 2022-23

Name of College : Dr. M. L. Dhawale Memorial Homoeopathic Institute, College code – 4108

A)	NUMBER OF PATIENTS ATTENDED IPD (1 st Jan 2022 to 31 st December 2022				
Sr. No.	Month	Information to be filled up by college			
		General Medicine	Paediatrics	OBGY	Surgery or Any other Specialty
1	Jan	68	15	16	26
2	Feb	78	19	23	23
3	Mar	98	21	29	30
4	April	78	21	2	35
5	May	67	21	2	26
6	June	90	18	21	17
7	July	90	18	12	28
8	Aug	96	23	9	24
9	Sept	130	48	33	84
10	Oct	130	19	17	45
11	Nov	75	26	11	25
12	Dec	117	18	0	27
Total		1117	267	175	390
Grand Total		1949			
Total Inpatient Days		7823			
Bed Occupancy (in %)		60%			
FORMULA FOR CALCULATING BED OCCUPANCY					
Bed Occupancy = $\frac{\text{Total No. of Bed days Occupied} \times 100}{\text{Total No. of Beds} \times \text{No. of total days}}$ $\frac{7823 \times 100}{36 \times 365} = 59.53\% = \mathbf{60\%}$					



Signature of Principal with Seal



DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN
M.D. (Hom.), MBA (Ed. Mgt.)


ANNEXURE-III B (2)

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK
Homoeopathy Faculty

DETAILS OF THE HOSPITAL AND WORK RECORD: (HOSPITAL – INFORMATION)
YEAR 2021 - 2022

Name of College: Dr. M. L. Dhawale Memorial Homoeopathic Institute, Palghar
College Code: 4108

NUMBER OF PATIENTS ATTENDED OPD (1 st Jan. 2022 to 31 st December 2022)					
(Note:- Patients of Medical Camp OPD should not be included)					
Sr. No.	Month	Information to be filled up by college			
		General Medicine	Pediatrics	OBGY	Surgery or Any other Specialty
1	Jan.	5675	1008	602	1783
2	Feb.	5796	1023	618	1848
3	March	6328	1170	717	2142
4	April	5131	874	513	1413
5	May	4627	800	484	1316
6	June	4687	966	601	1345
7	July	4923	911	583	1394
8	August	5125	1002	652	1428
9	Sept.	5540	1117	754	1713
10	Oct.	5239	1117	737	1509
11	Nov.	5792	1199	804	1724
12	Dec.	6270	1281	866	1900
Total		65132	12469	7933	19515
Grand Total		105049			




Signature of Principal with Seal



DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019
(Recognized by the National Commission for Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN
M.D. (Hom.), MBA (Ed. Mgt.)



Dr. M.L. Dhawale Memorial Homoeopathic Institute

Indoor Homoeopathic Hospital shall be well equipped having functional medical, surgical, gynaecological and obstetrics wards

Sr. No	Name of the articles	From 51 to 100 beds
1	Iron beds (Simple, Surgical & Paediatrics)	36 Available
2	Stretcher with trolley	08
3	Sterilizers	02
4	B.P. Instrument	08
5	Urine pots, male and female	10
6	Bed pans E.I.	10
7	Tongue depressor (Disposable)	05
8	Suction Machine	03
9	Suction tube	05
10	Artery forceps, small and big	12
11	Back rest	04
12	Oxygen cylinder with stand	08
13	Dressing drums (big)	03
14	Infra-red lamp	01
15	Chair trolley with wheels	08
16	Refrigerator	01
17	Weighing Machine	04
18	ENT Set	08

OPERATION THEATER : A well equipped and functioning Operation theatre shall be provided for day to day working

Rehabilitation unit including physiotherapy and yoga facilities shall be provided as a separate unit in the hospital premises

An ambulance with all required facilities shall be provided as part of parcel of hospital facilities

Dr. M. L. Dhawale Memorial Trust's



**DR. M. L. DHAWALE MEMORIAL
HOMOEOPATHIC INSTITUTE**

Opp. S. T. Workshop, Palghar Boisor Road, Palghar 401 404. • Tel.: 02525-256932/33 • Fax: 02525-257019
(Recognized by the Central Council of Homoeopathy, New Delhi and
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL
DR. BIPIN S. JAIN
M.D. (Hom.), MBA (Ed. Mgt.)

Annexure- 8

Certificate

Regarding - Copy of MOU With super specialty Hospital


MOU is not applicable with other super specialty hospital because our Rural Homoeopathic Hospital has its own super specialty services.

Following service being there

- 24-hour Casualty,
- ICU
- NICU
- Dialysis
- 3 Operation theaters

Clinical Services in OPD and IPD

- Anesthesiology
- Cardiology (Non Interventional)
- Emergency Medicine
- General Medicine
- General Surgery
- Obstetrics and Gynecology
- Ophthalmology
- Orthopedic Surgery including joint replacement
- Otorhinolaryngology
- Paediatrics and Neonatology
- Gastroenteritis
- Psychiatry
- Endocrinology and diabetology
- Nephrology
- Neurology



Dietetics Services

Rehabilitation Services

- Physiotherapy
- Neuro Physiotherapy
- Speech and Language Therapy
- Occupational Therapy
- Dietetics

Diagnostic Services


- 2D Echo
- Bone Densitometry
- Ultrasound
- X-ray
- CT - MOU

Laboratory Services

- Clinical Pathology Lab

Professions Allied to Medicine

- Ambulance


Dr. Bipin Jain
Principal





TOUCH N' GLOW

COMMON BIO-MEDICAL WASTE DISPOSAL FACILITY
AUTHORISED BY : MAHARASHTRA POLLUTION CONTROL BOARD

P.No. 31, Bidco Indl. Estate, Chintupada, Palghar : 401404, Dist. Palghar.
Tel. : 9145147086 / 9226397974
E-mail : nlpal79@gmail.com / info@touchnglow.in
Website : www.touchnglow.in

CERTIFICATE

Certificate No. : C0841
Registration No. : TNG/ H A50/1/PLG
Type of HCE : Hospital 51 and above bed
No. of Beds : 100 (One hundred)
Validity : **31 May 2023**

HCE Name : **Dr. M.L.Dhawale Memorial Trust Hospital**

HCE Location : **Opp. S.T. Workshop, Boisar Road, Palghar, 401404**

Name of Occupier : **Dr. Anand R. Kapse**

*This is to certify
that Bio-medical Waste generated at above HCE
Situated at mentioned location is
collected, transported, treated and disposed
by our
Common Bio-medical Waste Treatment
& Disposal Facility (CBMWTF) as per
Bio-medical Waste (Management & Handling) Rule 2016.*

*Membership allotted to above HCE
for providing above mentioned service
is valid till
31 May 2023*

Date : 24 Apr 2023

Place : Palghar



For, Touch N' Glow

Authorised Signatory

ANNUAL REPORT of H C E


Form - IV (See rule 13)

To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)

1) Particulars of Occupire	Details
HCE or CBMWTF Name	Dr. M.L.Dhawale Memorial Trust Hospital (TNG/ H A50/1/PLG)
Address	Opp. S.T. Workshop, Boisar Road, Palghar, 401404
Name Of Dr.	Dr. Anand R. Kapse
Tell No	2525256932
Red Bag Waste	603.115000999999
Blue Card Board Box Waste	75.865
Yellow Bag Waste	522.6675
White Container Waste	8.0175
General Solid waste:	General Solid waste:
TOTAL	1209.665001 Kg
URL of Website	
GPS coordinates of HCF or CBMWTF	
Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.:valid up to
Status of Consents under Water Act and Air Act	Valid up to:
2) Type of Health Care Facility	
(i) Bedded Hospital	100
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	
(iii) License number and its date of expiry	
3) Details of CBMWTF	NA
(i) Number healthcare facilities covered by CBMWTF	NA
(ii) No of beds covered by CBMWTF	NA
(iii) Installed treatment and disposal capacity of CBMWTF:	NA
(iv) Quantity of biomedical waste treated or disposed by CBMWTF	NA
(v) Quantity of biomedical waste treated or disposed by CBMWTF	NA



5) Details of the Storage, treatment, transportation, processing and Disposal Facility																																	
(i) Details of the on-site storage facility	Size : NA																																
	Capacity : NA																																
	Provision of on-site storage : (cold storage or any other provision) NA																																
(ii) Details of the treatment or disposal facilities	<table border="1"> <thead> <tr> <th>Type of treatment equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed in kg per annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave Shredder Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td>-</td> <td>NA</td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td>-</td> <td>NA</td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td>-</td> <td>NA</td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td>NA</td> </tr> </tbody> </table>	Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum	Incinerators Plasma Pyrolysis				Autoclaves Microwave				Hydroclave Shredder Needle tip cutter or destroyer				Sharps encapsulation or concrete pit		-	NA	Deep burial pits:		-	NA	Chemical disinfection:		-	NA	Any other treatment equipment:			NA
Type of treatment equipment	No of units	Capacity Kg/day	Quantity treated or disposed in kg per annum																														
Incinerators Plasma Pyrolysis																																	
Autoclaves Microwave																																	
Hydroclave Shredder Needle tip cutter or destroyer																																	
Sharps encapsulation or concrete pit		-	NA																														
Deep burial pits:		-	NA																														
Chemical disinfection:		-	NA																														
Any other treatment equipment:			NA																														
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	NA																																
(iv) No of vehicles used for collection and transportation of biomedical waste	NA																																
(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	<table border="1"> <thead> <tr> <th>NA</th> <th>Quantity generated</th> <th>Where disposed</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	NA	Quantity generated	Where disposed																													
NA	Quantity generated	Where disposed																															
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Touch N Glow CBMWTFE, Palghar																																
(vii) List of member HCF not handed over bio-medical waste.	NA																																



6) Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	NA
7) Details trainings conducted on BMW	
(i) Number of trainings conducted on BMW Management.	NA
(ii) number of personnel trained	NA
(iii) number of personnel trained at the time of induction	NA
(iv) number of personnel not undergone any training so far	NA
(v) whether standard manual for training is available?	NA
(vi) any other information)	NA
8) Details of the accident occurred during the year	NA
(i) Number of Accidents occurred	
(ii) Number of the persons affected	NA
(iii) Remedial Action taken (Please attach details if any)	NA
(iv) Any Fatality occurred, details.	NA
9) Are you meeting the standards of air Pollution from the Incinerator? How many times in last year could not met the standards?	NA
(i) Details of Continuous online emission monitoring systems installed	NA
10) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA
11) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	NA
12) Any other relevant information	NA

Certified that the above report is for the period from

From Date : 01-Jan-2022

To Date : 31-Dec-2022

Place : Palghar



Name and Signature of the Head of the Institution

Dr. M. L. DHAWALE MEMORIAL TRUST
HOSPITAL, PALGHAR (CHARITABLE)
Palghar - Boisar Road,
Palghar - 401 404

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/S.S.I

Date: 22/08/2022

No:- Format1.0/PSO/UAN No.0000120685/CR/2208000935

To,
Dr. M.L. Dhawale Memorial Trust Homoeopathic Hospital,
Survey No. 115A, Hissa No. 1/1,
Opp. S.T. Workshop,
Palghar-Boisar road,
Palghar - 401101



Your Service is Our
Duty

Formerly known as,
(Dr. Dhawale Memorial Trust Rural Homoeopathic Hospital)
Email: arkapse@gmail.com
Contact No.: 9371721780

Renewal of Combined Consent and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your BMW authorization & Consent application for renewal submitted to MPCB, HQ, Sion, Mumbai on 30.10.2021.
 2. SRO, Tarapur - II scrutiny letter dated 23.10.2021.
 3. This office email dated 15.03.2022 for personal hearing.
 4. Minutes of personal hearing dated 17.03.2022.
 5. Information submitted / uploaded by you on 22.03.2022.
 6. Required Information submitted / uploaded by you on 24 & 27.06.2022.
 7. Additional Information submitted / uploaded by you on 29.07.2022 & 04.08.2022.
 8. Additional Consent fees & penal fees submitted by you on 11.08.2022.
 9. SRO, Tarapur - II submitted / uploaded JVS reports on 17.08.2022.

After examining the proposal, The Maharashtra Pollution Control Board hereby Renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Authorization under Rule 5 of the Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedules(I-IV) and Annexures (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **03-06-2020** To **31-05-2023**
2. The capital investment of the HCF is **₹1239.0** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 13759.00 M² with Built-up area 8821.00 M².



4. Activities Included

a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. PLG /38/2017 valid upto 31-03-2023)

I. General Beds : **85 Nos**

II. Maternity Beds : **15 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 21.00 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated i.e. ETP sludge in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		STP sludge	5	Kg/Day	Gardening & manure.

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Touch N Glow, Palghar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. As you have provided separate BMW storage arrangements & Sewage Treatment Plant, hence Bank Guarantees of Rs. 50,000 and Rs. 1.0 lakhs are eligible to release, respectively.
18. Penal fees for delay in submission of application of Rs. 3,15,068.00 submitted by you has been received by MPCB vide MPCB-DR-13769 dated 11.08.2022.
19. You shall submit separate Bank Guarantee of Rs. 75,000 towards compliance of condition mentioned at schedule - III to Regional Office, Thane within 15 days.
20. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, Thane for verification purpose.



81985a68
7c69da2a
ad583cc2
4b03a33b
cb10c5a5
ad3b2f67
98adeec2
e34184ad

Signed by: Dr. Amar R. Supate
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psos@mpcb.gov.in
2022-08-22 14:06:14 IST



Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-7752	06/09/2021	NEFT
2	315068.00	MPCB-DR-13769	11/08/2022	RTGS
3	80000.00	MPCB-DR-13770	11/08/2022	NEFT
4	25000.00	MPCB-DR-7753	07/09/2021	NEFT
5	15000.00	MPCB-DR-10978	21/03/2022	NEFT

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Tarapur II
- - They are directed to ensure the compliance of the consent conditions.
SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	21.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	15	As per clause 'C'	100% Recycle
2	Trade effluent	2	As per clause 'C'	100% Recycle

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 200 KVA	Diesel	25.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	70.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	50.00		
		d) Expired or Discarded Medicines	0.40		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	75.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
3	White (Translucent)	Waste sharps including Metals	3.20	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
4	Blue	a) Glassware	30.30	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
		b) Metallic body implants	0.00		



Responsibilities of the CTF Operator of the Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Touch N Glow, Palghar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Thane and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
Total			75,000.00

Note: You shall extend the above submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Thane.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

