



DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019

(Recognized by the National Commission for Homoeopathy, New Delhi and

Maharashtra University of Health Sciences, Nashik)

PRINCIPAL


DR. BIPIN S. JAIN

M.D. (Hom.), MBA (Ed. Mgt.)

### Part II – Hospital Details

#### UPLOAD Availability of area in sq.mt as per Bed Strength (UG/PG) & MSR

Sr. No.	Hospital Details Infrastructure		Details on College Website	Remark
1	Name of Hospital	Dr. M.L. Dhawale Memorial Trust Hospital		
2	Registration details with Renewal	Registration on 1/8/2023 valid up 31/3/2026 (Annexure – 6)	Yes	
3	Bed Strength – ward distribution – As per MSR and Intake capacity	Medicine – 18 (50%) Paediatrics – 4 (10%) Surgery – 7 (20%) Obstetrics & Gynecology – 7(20%)	Yes	
4	Hospital Infrastructure as per Schedule (IA) <u>Administration block</u> a) Superintendent Room b) Rooms for Senior Medical Officer c) Staff Nurse d) Reception & registration	Total 110 Sq. mtr 6 sq. mtr 7 sq. mtr. 7 sq. mtr 90 sq. mtr	Yes	
	OPD/IPD details ( Refer Annexure – III)	Annexure - III	Yes	
	<u>Operation Theater unit</u> Operation Theater Preparation Room Post-operative recovery room Space for Sterilized Linen Labor Room Rooms for Surgeon/ Obstetrician/Assistants	Total 210 Sq mtr 90 sq. mtr 35 sq. mtr. 35 sq. mtr 5 sq. mtr 25 sq. mtr 10 sq. mtr.	Yes	
	Yoga/Physiotherapy rehabilitation Unit	47 sq.mtr	Yes	
	<u>Central Clinical Laboratory</u> Pathology & Microbiology Bio- Chemistry	Total 38 sq. mtr 26 sq. mtr 12 sq. mtr.	Yes	
	<u>Radiology and Sonography Section</u> X-ray room Dark Room Provisions for storing films and chemicals USG	Total 46 Sq.mtr 25 sq. mtr. 6 sq. mtr. 5 sq. mtr. 10 Sq. mtr	Yes	
	Hospital Kitchen	80 sq. mtr.	Yes	
	Stores	50 sq. mtr.	Yes	
5	Ambulance Facility (Own/MOU)	Own	Yes	
6	Dispensing Unit	Well Furnished Separate Dispensaries	Yes	





DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019  
(Recognized by the National Commission for Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL

DR. BIPIN S. JAIN

M.D. (Hom.), MBA (Ed. Mgt.)

		for Out Door Departments with sufficient stock of drugs		
7	Hospital Equipment as per MSR – OPD/IPD upload details	(Annexure – 7 )		
8	MOU with super specialty Hospital for clinical training of student and its functional upload the details	(Annexure – 8)		
9	First Aid kit in OPD/IPD	Available in each OPD and IPD		
10	BMW certificate	(Annexure – 9 )		
11	MPCB Certificate	(Annexure – 10 )		





DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE


Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019  
(Recognized by the National Commission for Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL

DR. BIPIN S. JAIN

M.D. (Hom.), MBA (Ed. Mgt.)

Annexure 6



महाराष्ट्र शासन

सार्वजनिक आरोग्य विभाग

जिल्हा शल्य चिकित्सक

जिल्हा रुग्णालय, पालघर, जि. पालघर.

---

प्रपत्र - सी  
(नियम ५ अन्वये)

बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ चे कलम ५ अन्वये नोंदणी प्रमाणपत्र

प्रमाणपत्र देण्यात येते की, दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४२ अन्वये

डॉ. श्री. / श्रीमती एम. एम्. डब्ल्यू. मेमोरियल हॉस्पिटल पालघर यांचे.

डॉ. एम्. एम्. डब्ल्यू. मेमोरियल हॉस्पिटल पालघर येथील नर्सिंग होम/मॅटर्निटी

होम रजिस्टर केले असून सदरचे नर्सिंग होम वे मॅटर्निटी होम चालविण्यास परवानगी देण्यांत येत आहे.

नोंदणी क्र. - PLG/38/2017 प्रसुतीच्या रुग्णांकरिता :- 15


देवलेल्या खाटांची संख्या

नोंदणी दिनांक - 1/8/2023 इतर रुग्णांकरिता वापरात :- 85


असलेल्या खाटांची संख्या

सर्टिफिकेट दिल्याचा दिनांक :- 1/8/2023

सदरचे प्रमाणपत्र दिनांक :- 1/8/2023 ते 31/3/2026 पर्यंत कार्यवाहीत राहील.




नोंदणी अधिकारी  
तथा जिल्हा शल्य चिकित्सक,  
जिल्हा रुग्णालय, पालघर.



नुतनीकरण दिनांक	नुतनीकरण कालावधी		जि. श. चि. स्वाक्षरी
	पासून	पर्यंत	
<u>1/8/2023</u>	<u>1/8/2023</u>	<u>31/3/2026</u>	<u>[Signature]</u>

- हे प्रमाणपत्र हॉस्पिटलच्या दर्शनी भागात दिलेल अशा ठिकाणी लावणे गरजेचे आहे.
- आपल्या संस्थेत दाखल संसर्गजन्य रुग्णांची माहिती (Notifiable Diseases) संबंधीत उपजिल्हा/ग्रामीण रुग्णालय कळविणे गरजेचे आहे.
- जन्म मृत्यु नोंद संबंधीत नगरपालिकेत वेळेवर कळविणे आपल्यावर बंधनकारक आहे.
- कुटुंब कल्याण (पु/सी) शास्त्रक्रियाची आकडेवारी संबंधीत उपजिल्हा/ग्रामीण रुग्णालयास कळविणे बंधनकारक आहे.
- संस्थेत कार्यरत नर्सिंग स्टाफ बॉम्बे नर्सिंग मिडवॉईफ्स अँड हेल्थ विज्नीटर्स अॅक्ट १९५४ नुसार प्रशिक्षित असण्याच्या अटीवर सदरची नोंदणी देण्यात आले आहे.
- बायोमेट्रिकल वेस्ट नियम १९९८ क्र. ३२ व ४१/२००६ चे पालन करणे बंधनकारक आहे.







DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019  
(Recognized by the National Commission for Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL  
DR. BIPIN S. JAIN  
M.D. (Hom.), MBA (Ed. Mgt.)

ANNEXURE – III A (1)

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK  
Homoeopathy Faculty

Year : 2023-24

Name of College : Dr. M. L. Dhawale Memorial Homoeopathic Institute, College code – 4108

**OPD Department**

a)	Name of OPD	Available	Not Available	Remarks
	Medicine	Yes		
	Paediatrics	Yes		
	OBGY	Yes		
	Any Other Speciality	Yes		
b)	Dressing Room	Yes		
	Dispensary	Yes		
	Store	Yes		





DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019  
(Recognized by the National Commission for Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL  
DR. BIPIN S. JAIN  
M.D. (Hom.), MBA (Ed. Mgt.)

ANNEXURE – III A (2)

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK  
Homoeopathy Faculty

Year 2023-24

Name of College: Dr. M. L. Dhawale Memorial Homoeopathic Institute, College code – 4108

Indoor Patient Department:

Sr. No.	Department	Bed Required PG	Total Beds Available	Nursing Station/Duty Room Y/N	Doctor Room Y/N	Store Room Y/N	Remarks
1	Gen. Medicine	18	18	Yes	Yes	Yes	
2	Paediatrics	4	4	Yes	Yes	Yes	
3	Surgery	7	7	Yes	Yes	Yes	
4	OBGY	7	7	Yes	Yes	Yes	
	Total	36	36				

Signature of Principal with Seal





DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019  
(Recognized by the National Commission for Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL  
DR. BIPIN S. JAIN  
M.D. (Hom.), MBA (Ed. Mgt.)

ANNEXURE – III B (1)

MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK

DETAILS OF THE HOSPITAL AND WORK RECORD : (HOSPITAL – INFORMATION)

Year : 2023-24

Name of College : Dr. M. L. Dhawale Memorial Homoeopathic Institute, College code – 4108

A) NUMBER OF PATIENTS ATTENDED IPD ( 1 <sup>st</sup> Jan 2023 to 31 <sup>st</sup> December 2023)					
Sr. No.	Month	Information to be filled up by college			
		General Medicine	Paediatrics	OBGY	Surgery or Any other Specialty
1	Jan	98	31	8	36
2	Feb	97	43	32	33
3	Mar	111	42	33	34
4	April	95	36	5	23
5	May	77	29	3	17
6	June	69	15	5	21
7	July	102	17	8	23
8	Aug	76	24	6	20
9	Sept	56	39	5	15
10	Oct	51	42	4	14
11	Nov	45	41	5	29
12	Dec	86	56	4	42
Total		963	415	118	307
Grand Total		1803			
Total Inpatient Days		8540			
Bed Occupancy		65%			
FORMULA FOR CALCULATING BED OCCUPANCY					
Bed Occupancy		=	$\frac{\text{Total No. of Bed days Occupied} \times 10}{\text{Total No. of Beds} \times \text{No. of total days}} = \frac{8540 \times 100}{36 \times 365} = 65\%$		



Signature of Principal with Seal



DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019  
(Recognized by the National Commission for Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL  
DR. BIPIN S. JAIN  
M.D. (Hom.), MBA (Ed. Mgt.)

### ANNEXURE-III B (2)

## MAHARASHTRA UNIVERSITY OF HEALTH SCIENCES, NASHIK Homoeopathy Faculty

### DETAILS OF THE HOSPITAL AND WORK RECORD: (HOSPITAL – INFORMATION)

YEAR 2023 - 2024

Name of College: Dr. M. L. Dhawale Memorial Homoeopathic Institute, Palghar  
College Code: 4108

NUMBER OF PATIENTS ATTENDED OPD (1 <sup>st</sup> Jan 2023 to 30 <sup>th</sup> November 2023)					
(Note:- Patients of Medical Camp OPD should not be included)					
Sr. No.	Month	Information to be filled up by college			
		General Medicine	Pediatrics	OBGY	Surgery or Any other Specialty
1	Jan.	3417	486	230	1713
2	Feb.	3181	438	213	1395
3	March	3231	522	229	1581
4	April	5162	1128	254	1075
5	May	5383	1181	269	1048
6	June	5269	1029	232	598
7	July	5396	1152	254	1152
8	August	5246	1021	169	1123
9	Sept.	4585	1230	115	890
10	Oct.	4201	1012	98	650
11	Nov.	4825	1214	196	989
12	Dec.	3678	1285	121	1125
<b>Total</b>		49896	10413	2259	12214
<b>Grand Total</b>		80991/275=294 (Patient per day)			

Signature of Principal with Seal







DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE

Opp. S.T. Workshop, Palghar-Boisar Road, Palghar 401 404. • Tel : 02525-256932/33 • Fax : 02525-257019  
(Recognized by the National Commission for Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

PRINCIPAL

DR. BIPIN S. JAIN

M.D. (Hom.), MBA (Ed. Mgt.)

**Annexure - 7**

Dr. M.L. Dhawale Memorial Homoeopathic Institute

Indoor Homoeopathic Hospital shall be well equipped having functional medical, surgical, gynaecological and obstetrics wards

Sr. No	Name of the articles	From 51 to 100 beds
1	Iron beds (Simple, Surgical & Paediatrics)	36 Available
2	Stretcher with trolley	08
3	Sterilizers	02
4	B.P. Instrument	08
5	Urine pots, male and female	10
6	Bed pans E.I.	10
7	Tongue depressor (Disposable)	05
8	Suction Machine	03
9	Suction tube	05
10	Artery forceps, small and big	12
11	Back rest	04
12	Oxygen cylinder with stand	08
13	Dressing drums (big)	03
14	Infra-red lamp	01
15	Chair trolley with wheels	08
16	Refrigerator	01
17	Weighing Machine	04
18	ENT Set	08

OPERATION THEATER : A well equipped and functioning Operation theatre shall be provided for day to day working

Rehabilitation unit including physiotherapy and yoga facilities shall be provided as a separate unit in the hospital premises

An ambulance with all required facilities shall be provided as part of parcel of hospital facilities







**DR. M. L. DHAWALE MEMORIAL  
HOMOEOPATHIC INSTITUTE**

Opp. S. T. Workshop, Palghar Boisor Road, Palghar 401 404. ● Tel.: 02525-256932/33 ● Fax: 02525-257019  
(Recognized by the Central Council of Homoeopathy, New Delhi and  
Maharashtra University of Health Sciences, Nashik)

**PRINCIPAL**  
**DR. BIPIN S. JAIN**  
M.D.(Hom.), MBA (Ed. Mgt.)

**Certificate**

Regarding - Copy of MOU With super specialty Hospital

MOU is not applicable with other super specialty hospital because our Rural Homoeopathic Hospital has its own super specialty services.

Following service being there

- 24-hour Casualty,
- ICU
- NICU
- Dialysis
- 3 Operation theaters

**Clinical Services in OPD and IPD**

- Anesthesiology
- Cardiology (Non Interventional)
- Emergency Medicine
- General Medicine
- General Surgery
- Obstetrics and Gynecology
- Ophthalmology
- Orthopedic Surgery including joint replacement
- Otorhinolaryngology
- Paediatrics and Neonatology
- Gastroenteritis
- Psychiatry
- Endocrinology and diabetology
- Nephrology
- Neurology

### **Dietetics Services**

### **Rehabilitation Services**

- Physiotherapy
- Neuro Physiotherapy
- Speech and Language Therapy
- Occupational Therapy
- Dietetics

### **Diagnostic Services**


- 2D Echo
- Bone Densitometry
- Ultrasound
- X-ray
- CT - MOU

### **Laboratory Services**

- Clinical Pathology Lab

### **Professions Allied to Medicine**

- Ambulance

  
Dr. Bipin Jain  
Principal





Maharashtra Pollution Control Board  
महाराष्ट्र प्रदूषण नियंत्रण मंडळ

# Touch N Glow

P.No. 31, Bidco Indl. Estate, Chintupada, ,  
Palghar, Dist. Palghar – 401404

Emergency Mobile No. : 9226316909, e-mail:- [info@touchnglow.in](mailto:info@touchnglow.in)



TOUCH N' GLOW®

Unique Registration No.: TNG/2023/03499



Offline QR Code

## Registration Certificate



Online QR Code

Outward No.: TNG /2023/1772

Date: 06-12-2023

This is to certify that, **Dr. M.L.Dhawale Memorial Trust Hospital, at Opp. S.T. Workshop, Boisar Road, Palghar, 401404, Palghar, Maharashtra 401404** is registered with **M/s. Touch N Glow, Palghar** for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

- 1 **Authorized Person of HCE (Name and Designation)** : **Dr. Anand R. Kapse**  
Doctor
- 2 **Bombay Nursing Home Act Registration Details**
  - a. BNH Registration Number : PAL/38/2017
  - b. BNH Issue Date : 01-08-2023
  - c. Total Number of Beds : 100 Beds
  - d. BNH Validity (Form 'C') : 31-03-2026
- 3 **Common Treatment Facility Registration Details**
  - a. Date of Registration : 01-01-2017
  - b. No. of Beds Registered : 100 Beds
  - c. Registration Validity : 31-12-2023
- 4 **Renewal of CTF Membership (if Applicable)**
  - a. Renewal Date : 01-01-2024
  - b. No. of Beds : 100 Beds
- 5 **MPCB Consent (Establish/ 1<sup>st</sup> Operate/ Renewal) Details**
  - a. Consent / CCA Number : 0000171560
  - b. Issue Date : 31-05-2023
  - c. Validity up to : 31-05-2027



### Authorized Signature

Name : Mr. Nilesh Patil  
Designation : Partner

**Note:** HCE shall display copy of Registration Certificate at Front Desk and Temporary BMW Storage area.



# MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781  
Fax: 24024068/24023515  
Website: <http://mpcb.gov.in>  
Email: [psoc@mpcb.gov.in](mailto:psoc@mpcb.gov.in)



Kalpataru Point, 2nd and  
4th floor, Opp. Cine Planet  
Cinema, Near Sion Circle,  
Sion (E), Mumbai-400022

ORANGE/S.S.I

Date: 28/07/2023

No:- Format1.0/PSO/UAN No.0000171560/CO/2307001923

To,  
DR. M.L. DHAWALE MEMORIAL TRUST'S  
HOMOEOPATHIC HOSPITAL  
Surve No.115 A,Hissa No.1/1,OPP. S.T. WORKSHOP,  
PALGHAR-BOISAR ROAD  
PALGHAR-401101.  
Email:[arkapse@gmail.com](mailto:arkapse@gmail.com)  
Contact No.:9371721780



Your Service is Our Duty

*Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.*

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.PSO/UAN No.0000120685/CR/2208000935 dtd. 22.08.2022.
  2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 22/05/2023
  3. This office Email 07.06.2023.
  4. Show Cause Notice for refusal of application dtd. 28.06.2023
  5. Minutes of personal hearing dtd. 25.07.2023.
  6. Your reply dtd.25.07.2023, 26.07.2023 & 27.07.2023

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-05-2023 To 31-05-2027**
2. The capital investment of the HCF is **₹1321.94** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 13759.00 M<sup>2</sup> with Built-up area 8821.00 M<sup>2</sup>.

#### 4. Activities Included

a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. PLG 38 2017 valid upto 31-03-2023)

- |                                       |                                    |
|---------------------------------------|------------------------------------|
| I. General Beds : <b>17 Nos</b>       | II. ICCU/ICU Beds : <b>6 Nos</b>   |
| III. Operation Theatre : <b>4 Nos</b> | IV. Maternity Beds : <b>15 Nos</b> |
| V. Other Beds : <b>58 Nos</b>         |                                    |

#### 5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 32 M<sup>3</sup>/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

#### 6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

#### 7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment		5	Kg/M	

#### 8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

#### 9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Touch N Glow, Palghar** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on [www.cpcb.nic.in](http://www.cpcb.nic.in) along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.

4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" ([www.cpcb.nic.in](http://www.cpcb.nic.in)).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. HCE shall not operate hospital activity without valid BNH Certificate.
18. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Thane within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

**Received Consent/Authorization fee of -**

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	MPCB-DR-18500	13/04/2023	NEFT
2	5000.00	MPCB-DR-19125	17/05/2023	NEFT

**Balance fee of Rs.1,50,000/- is with board & shall be considered for further renewal of CCA.**

**Copy to:**

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Thane I  
- You are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.





**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**

## A. Water Consumption Details:-

<b>Sr. No.</b>	<b>Purpose for water consumed</b>	<b>Water consumption quantity (CMD)</b>
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	30.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

## B. Conditions for Sewage &amp; Effluent Generation, Treatment and Disposal:-

<b>Sr. No.</b>	<b>Description</b>	<b>Permitted quantity of discharge (CMD)</b>	<b>Standards to be achieved</b>	<b>Disposal</b>
1	Domestic Sewage	25.00	As per clause 'C'	100% Recycle & treated sewage used for gardening & remaining send to local body sewer line.
2	Trade effluent	1.00	As per clause 'C'	100% Recycle & send to STP

## C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

<b>Sr. No.</b>	<b>Parameters</b>	<b>Discharge Standards applicable</b>
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C )	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

<b>Sr. No.</b>	<b>Stack Attached to</b>	<b>Fuel Type</b>	<b>Quantity</b>	<b>Stack Height (Mtr)</b>
1	D G SET 220 KVA	Diesel	5.00 Ltr/Hr	4.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
  - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
  - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
  - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
  - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
  - D.G. Set shall be operated only in case of power failure.
  - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
  - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	40.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	60.00		
		d) Expired or Discarded Medicines	0.40		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	68.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
3	White (Translucent)	Waste sharps including Metals	3.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
4	Blue	a) Glassware	30.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Touch N Glow, Palghar Palghar
		b) Metallic body implants	0.00		

**Responsibilities of the Health Care Facility**


1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Touch N Glow, Palghar** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Thane and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

<b>Sr.No</b>	<b>Activity / Condition to be Complied</b>	<b>Compliance Timeline (Months)</b>	<b>Bank Guarantee Amount</b>
<b>1A</b>	<b>Operation and Maintenance</b>		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
<b>1B</b>	<b>Records</b>		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
<b>Total</b>			<b>1,50,000.00</b>

**Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.**



**General Conditions****The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Thane.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.



14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

---

This certificate is digitally & electronically signed.

---

